



**Missouri Department of Health and Senior Services**

P.O. Box 570, Jefferson City, MO 65102-0570 Phone: 573-751-6400 FAX: 573-751-6010  
RELAY MISSOURI for Hearing and Speech Impaired 1-800-735-2966 VOICE 1-800-735-2466

**Peter Lyskowski**  
Director



**Jeremiah W. (Jay) Nixon**  
Governor

November 22, 2016

Viracor Eurofins  
Attn: Michelle Altrich, Lab Director  
1001 NW Technology Drive  
Lee's Summit, MO 64086

Re: CLIA # 26D0983643

Dear Lab Director:

This will confirm, per your written request, that we have changed the name of your Lab, as indicated in the above address. This letter will also verify that you have a current Certificate of CAP Accreditation with the issuance date of 9/26/16 expiring 9/25/18.

These letters are sent due to the fact that CLIA certificates are not re-issued for regular certificate changes or misplaced certificates and that we can no longer send out print screens. You will receive a current certificate at the time of your next renewal.

If you have any problems or questions regarding this, please call Pam Campbell at 573-751-6318. Thank you.

Sincerely,

William Nugent  
CLIA Program Manager  
Bureau of Outpatient HealthCare  
Dept of Health and Senior Services

WM/pc

[www.health.mo.gov](http://www.health.mo.gov)

Healthy Missourians for life.

The Missouri Department of Health and Senior Services will be the leader in promoting, protecting and partnering for health.

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER: Services provided on a nondiscriminatory basis.

**CENTERS FOR MEDICARE & MEDICAID SERVICES  
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS  
CERTIFICATE OF ACCREDITATION**

**LABORATORY NAME AND ADDRESS**  
VIRACOR-IBT LABORATORIES, INC  
1001 NW TECHNOLOGY DRIVE  
LEES SUMMIT, MO 64086

**CLIA ID NUMBER**  
26D0983643

**EFFECTIVE DATE**  
09/26/2016

**LABORATORY DIRECTOR**  
MICHELLE ALTRICH Ph.D.

**EXPIRATION DATE**  
09/25/2018

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



*Karen W. Dyer*

Karen W. Dyer, Acting Director  
Division of Laboratory Services  
Survey and Certification Group  
Center for Clinical Standards and Quality

170 Certs2\_083016

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
BACTERIOLOGY (110)	09/26/2012		
MYCOLOGY (120)	09/26/2012		
PARASITOLOGY (130)	09/26/2012		
VIROLOGY (140)	09/26/2012		
SYPHILIS SEROLOGY (210)	03/16/2015		
GENERAL IMMUNOLOGY (220)	09/26/2012		
ROUTINE CHEMISTRY (310)	09/26/2012		
ENDOCRINOLOGY (330)	04/05/2016		
TOXICOLOGY (340)	09/26/2012		

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT [WWW.CMS.GOV/CLIA](http://WWW.CMS.GOV/CLIA)  
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR  
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.