

# Anti-Thyroid Peroxidase IgG

Test Code: 322

## Clinical and Procedure

### Clinical Utility

Anti-thyroid peroxidase antibodies have been implicated in thyroid autoimmune disease. In many cases of Hashimoto's disease and Graves' disease thyroid peroxidase autoantibodies are elevated.

### Procedure

The anti-thyroid peroxidase assay is performed on the Immulite 2000 analyzer system using highly purified human thyroid peroxidase coated beads. The assay is calibrated against WHO 1st IRP 66/387. This test has been cleared or approved for diagnostic use by the U.S. Food and Drug Administration.

## Turnaround Time

3-5 business days from receipt of specimen

## Specimen Information

Specimen Type	Order Code	CPT Code	NY Approved	Volume	Assay Range
serum	322	86376	Yes	1 mL (min. 200 uL)	10-1,000 IU/mL

#### Special Instructions

- Collect 1 mL, ambient, so special shipping requirements.
- Stability 7 days refrigerated; 6 months frozen.

## Disclaimer

Specimens are approved for testing in New York only when indicated in the Specimen Information field above.

The CPT codes provided are based on Viracor Eurofins' interpretation of the American Medical Association's Current Procedural Terminology (CPT) codes and are provided for general informational purposes only. CPT coding is the sole responsibility of the billing party. Questions regarding coding should be addressed to your local Medicare carrier. Viracor Eurofins assumes no responsibility for billing errors due to reliance on the CPT codes illustrated in this material.