

Mold Precipitin Panel III

Test Code: 403529P

Tests in this Panel

- Aspergillus fumigatus Mix Gel Diffusion
- Cladosporium herbarum Gel Diffusion
- Fusarium roseum Gel Diffusion
- Neurospora sitophila/Monilia Gel Diffusion
- Rhizopus spp Gel Diffusion

Clinical and Procedure

Clinical Utility

The measurement of serum precipitins by gel diffusion is a commonly used technique to assess exposure and sensitization to various antigens. They are usually of the IgG or IgM class.

Procedure

In Ouchterlony gel immunodiffusion the sample and the antigen are placed in opposing wells cut in a uniform layer of agarose. This test has not been cleared or approved for diagnostic use by the U.S. Food and Drug Administration.

Turnaround Time

3-5 business days from receipt of specimen

Specimen Information

| Specimen Type | Order Code | CPT Code | NY Approved | Volume | Assay Range |
|---------------|------------|----------|-------------|--------|---------------------|
| serum | 403529P | 86331 | No | 1 mL | See Individual Test |

Special Instructions

- 1 mL serum, ambient, frozen or refrigerated.
- Stability 4 weeks ambient, refrigerated or frozen.

Qualitative.

Disclaimer

Specimens are approved for testing in New York only when indicated in the Specimen Information field above.

The CPT codes provided are based on Viracor Eurofins' interpretation of the American Medical Association's Current Procedural Terminology (CPT) codes and are provided for general informational purposes only. CPT coding is the sole responsibility of the billing party. Questions regarding coding should be addressed to your local Medicare carrier. Viracor Eurofins assumes no responsibility for billing errors due to reliance on the CPT codes illustrated in this material.